

**To:** Kipka, Undine[kipka.undine@epa.gov]; COUTU Clary[clary.coutu@keoliscs.com]; Vakalopoulos, Catherine (DEP)[catherine.vakalopoulos@state.ma.us]; Papadopoulos, George[papadopoulos.george@epa.gov]; joseph.nerden@state.ma.us[joseph.nerden@state.ma.us]; Kearney, Janis[JKearney@mbta.com]; DeCoste, Cosette M.[cdecoste@mbta.com]; Bill Betters[bbetters@cdwconsultants.com]; Michael Clark[MichaelClark@kennedyjenks.com]  
**From:** Marian Rambelle[mrambelle@cdwconsultants.com]  
**Sent:** Wed 8/10/2016 1:19:50 AM (UTC)  
**Subject:** RE: EPA Site Visit Follow up Summary

Thanks, Clary and Michael. Great meeting with everyone today.

I'm just replying in order to "move" the thread to my CDW email address. Please use this email address to avoid confusion (mainly on my part)...

Best,  
Marian

Marian Rambelle  
Senior Environmental Engineer

CDW CONSULTANTS, INC.  
40 Speen Street, Suite 301  
Framingham, MA 01701  
508-875-2657 x28  
[www.cdwconsultants.com](http://www.cdwconsultants.com)

*The information contained in this transmission is privileged, confidential and intended only for the use of the individual or entity named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail transmission is strictly prohibited. If you received this communication in error, please notify CDW Consultants, Inc. immediately by e-mail. Thank you.*

----- Forwarded message -----

From: **Michael Clark** <[MichaelClark@kennedyjenks.com](mailto:MichaelClark@kennedyjenks.com)>  
Date: Tue, Aug 9, 2016 at 5:40 PM  
Subject: Re: EPA Site Visit Follow up Summary  
To: "Kipka, Undine" <[kipka.undine@epa.gov](mailto:kipka.undine@epa.gov)>  
Cc: COUTU Clary <[clary.coutu@keoliscs.com](mailto:clary.coutu@keoliscs.com)>, "Vakalopoulos, Catherine (DEP)" <[catherine.vakalopoulos@state.ma.us](mailto:catherine.vakalopoulos@state.ma.us)>, "Papadopoulos, George" <[papadopoulos.george@epa.gov](mailto:papadopoulos.george@epa.gov)>, "joseph.nerden@state.ma.us" <[joseph.nerden@state.ma.us](mailto:joseph.nerden@state.ma.us)>, "Kearney, Janis" <[JKearney@mbta.com](mailto:JKearney@mbta.com)>, "DeCoste, Cosette M." <[cdecoste@mbta.com](mailto:cdecoste@mbta.com)>, William Betters <[wbetters@cdwconsultants.com](mailto:wbetters@cdwconsultants.com)>, Marian Rambelle <[marian@cobelle.org](mailto:marian@cobelle.org)>

Good afternoon all, the work to connect the 30" pipe from North Point property and Gilmore Bridge to the outfall system is part of the current contractor's work. I am checking with GLX to verify that the connection has been made. I will advise once confirmed.

Sent from my iPhone

On Aug 9, 2016, at 4:49 PM, Kipka, Undine <[kipka.undine@epa.gov](mailto:kipka.undine@epa.gov)> wrote:

Thanks, Clary! It was great meeting you all today.

Regarding 3), I will follow up with Cosette (and will copy you, Clary, and Janis) tomorrow (8/10/16) under a separate cover regarding additional short-term action items that will complete the permit record and make it simpler to coordinate.

Undine Kipka  
[\(617\) 918 1335](tel:6179181335)

ED\_004664\_00001732-00001

**From:** COUTU Clary [<mailto:clary.coutu@keoliscs.com>]

**Sent:** Tuesday, August 09, 2016 2:57 PM

**To:** Kipka, Undine <[kipka.undine@epa.gov](mailto:kipka.undine@epa.gov)>; Vakalopoulos, Catherine (DEP) <[catherine.vakalopoulos@state.ma.us](mailto:catherine.vakalopoulos@state.ma.us)>; Papadopoulos, George <[papadopoulos.george@epa.gov](mailto:papadopoulos.george@epa.gov)>; [joseph.nerden@state.ma.us](mailto:joseph.nerden@state.ma.us)

**Cc:** Kearney, Janis <[JKearney@MBTA.com](mailto:JKearney@MBTA.com)>; 'Michael Clark' <[MichaelClark@kennedyjenks.com](mailto:MichaelClark@kennedyjenks.com)>; DeCoste, Cosette M. <[cdecoste@MBTA.com](mailto:cdecoste@MBTA.com)>; William Betters <[wbetters@cdwconsultants.com](mailto:wbetters@cdwconsultants.com)>; Marian Rambelle <[marian@cobelle.org](mailto:marian@cobelle.org)>

**Subject:** EPA Site Visit Follow up Summary

Hello All-

It was a very good meeting. Thank you all for attending. Thank you Marian, Bill and Mike for providing information on system and permit requirements. While I am away the Points of Contact (POC) for follow up on items from MBTA will be Cosette DeCoste (MBTA) and William Betters (Keolis/CDW) copied here. Undine has graciously volunteered to be the POC for the agencies present. Please copy me and Janis Kearney.

From our meeting today we have a few action items. Please feel free to add anything I may have missed.

1. September 21 2015- letter to George Harding (attached hereto)
2. GLX Drainage plans (PDF) – M. Clark/Cosette to provide to Undine via email (physical copies were provided at meeting)

To summarize meeting- Mike and Bill provided key information on historical drainage conditions, current conditions, GLX project improvements and current permit requirement workaround for sampling. We visited the Millers River and Prison Point locations where sampling currently occurs.

1. Upon completion of GLX drainage improvements (~September 2016)- MBTA/Keolis will conduct an internal meeting in September to review a plan for managing the quality control of discharge at the outfalls and system maintenance requirements.
  2. A proposal will be drafted for discussion at a second meeting with agencies and those present today in early October 2016.
  3. Undine will review files and assess additional information needed. Please send request to POCs and copy Janis Kearney and myself.
  4. During second meeting - a Site visit will be scheduled for facility
  5. Permit review by EPA will require taking into consideration discussion of requirements for monitoring by all permittees and co-permittees. Undine will review and consult with EPA to advise on best approach to follow for a meeting with all parties.
  6. Discussion of pending GLX work ( Pump House and Gillmore/North Point into Prison Point chamber) followed request for information from J. Nerden as to reason why the Gillmore/North Point was not part of this phase of work and would be part of next procurement for Design Build) M. Clark will discuss with MBTA on the project approach as part of the current GMP for feasibility and execution.
- Other?

All- please review above, recommend changes and or edit.

Regards,

**Clary COUTU**

Manager of Environmental Compliance

<image001.png>

470 Atlantic Avenue, 5th Floor, Boston, MA 02210 USA

(O) [617-222-8009](tel:617-222-8009) (M) [617-874-6946](tel:617-874-6946) | Email: [clary.coutu@keoliscs.com](mailto:clary.coutu@keoliscs.com)

ED\_004664\_00001732-00002

**CONFIDENTIALITY NOTICE:** *This communication, including attachments, is for the exclusive use of the person or entity to which it is addressed and may contain confidential, proprietary and/or privileged information. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. If you received this by mistake, please contact the sender immediately.*

**Please consider the environment before printing this e-mail.**